## Nites in Panid Transit Technology

Nitec in Rapid Transit Technology
NFRTZ
Nitec in Rapid Transit Technology
6 month IA Duration
RT3011FPE
1. Maintain train-borne battery system
2. Maintain 750V DC current collection system
3. Maintain traction control system
4. Maintain auxiliary power supply and inverter
5. Maintain pneumatic brakes/system
6. Maintain bogie
7. Maintain wheels, axles and transmission systems
8. Maintain train air conditioning and ventilation systems
9. Perform general train cabin maintenance
10. Maintain inter-car gangway and foot pate
11. Maintain train door control system
12. Maintain train door (detrainment)
13. Maintain coupler
14. Patrol and inspect rail tracks
15. Inspect alignment of rail tracks
16. Inspect turnouts (crossings, switches)
l e e e e e e e e e e e e e e e e e e e

- 17. Inspect for rail wear
- 18. Maintain fish plates
- 19. Maintain Insulated rail joints (IRJs);
- 20. Maintain Point machines (hand lever point only)
- 21. Track alignment check
- 22. Ballast track tamping by hand
- 23. Perform UIC 60 rail wear measurement
- 24. Maintain buffer stops
- 25. Maintain timber/ concrete sleepers
- 26. Service third rail expansion joint
- 27. Replace high speed ramp and/or low speed ramp
- 28. Perform changing of rails and turnouts
- 29. Weld rails
- 30. Fabricate insulated rail joints (IRJs)
- 31. Maintain third rail, insulators and re-gauging
- 32. Perform checks on pneumatic system
- 33. Inspect relays
- 34. Change axle and planetary oil
- 35. Perform diagnostic tests
- 36. Replace guide wheel assembly
- 37. Replace current collector
- 38. Perform air compressor top overhaul
- 39. Perform checks on stinger plug / receptacle insulation
- 40. Perform battery discharge test
- 41. Service traction motor
- 42. Perform checks on electrical system

- 43. Perform servicing and insulation checks on coupler
- 44. Inspect underframe / bogie
- 45. Perform smoke detector test
- 46. Perform brake preventive maintenance
- 47. Perform door opening/closing test
- 48. Perform door maintenance
- 49. Clean door motor
- 50. Perform door limit switch check